

ARS

爱丽斯产品手册 *General Catalogue*




绿友集团
GREENMAN



值得信赖的切割技术

ARS(爱丽斯)公司创建于1876年,是专门生产园艺工具的综合型企业,生产的产品大部分都采用高碳钢工具材料,融入尖端的切割技术,被广泛用于世界50多个国家和地区的农业、林业、园艺、五金等多种行业。

- | | | |
|------------------|-----------------|------------|
| H 表面镀硬铬处理 | F 表面特殊喷涂 | 曲线研磨 |
| B 表面发黑处理 | C 高碳工具钢 | 锥形研磨 |
| N 表面镀镍处理 | S 不锈钢 | 经高温淬火处理 |
| 锯齿形状 | 长度(mm) | 通过德国专业机构检测 |
| 齿槽 | 重量(g) | |
| 齿距 | 备用刀片形状 | |
| 齿厚 | 备用刀片形状 | |

CONTENTS 目录

修枝剪.....	02
高枝剪.....	03
玫瑰剪,粗枝剪,气动高枝剪.....	04
修枝锯.....	05
高枝锯,绿篱剪,粗枝剪.....	07
工艺剪,服装剪,电气剪,电动修枝剪.....	08
果蔬采摘剪.....	09
花卉园艺工具,料理刀,扁铲.....	10

PRODUCTS LINE

修枝剪

VS

① 自动弹簧张开卡槽:
握动剪柄,就能张开剪口,
让修剪变得更加轻松、便捷

⑤ 部分型号为旋转手柄,
真正做到“随手而动”

② 人性化手柄设计,
包覆柔软橡胶层,
双手感觉更舒适

New!

③ 剪刀经镀硬铬处理,
刃口强度大,
防锈能力强

④ 减震弹簧

VS-7R **H C**

VS-8R **H C**

VS-9R **H C**

VS-7Z **H C**

VS-8Z **H C**

VS-9Z **H C**



N C **CB-8**



N C **CB-9**



H C

CHS-7



H C

120S-8



H C

120EU



H C

120DX



H C

130DX



H C

140DX

高枝剪



H C 1300 ~ 2000 1050 160ZR-1



160ZR-2.0-3



H C 1800 ~ 3000 1310 160ZR-1

160ZR-3.0-5



H C 1300 ~ 2000 1040 180ZR-1



180ZR-2.0-3



H C 1800 ~ 3000 1300 180ZR-1

180ZR-3.0-5



H C 1800 690 160-1

160-1.8



H C 1200 570 180-1

180-1.2



H C 1800 720 180-1

180-1.8



H C 2400 1300 240-1

180-2.4

粗枝剪



F C 1500 1550 185-1



185-1.5

果树气动高枝剪

果树气动高枝剪广泛应用于冬季果树剪枝、市政园林、苗圃等场合的剪枝工作。使用气动高枝剪，站在地面即可轻松修剪高枝，显著提高剪枝效率 2-3 倍、减轻果农劳动强度、减少人工雇用开支并降低爬树修剪的危险系数。



H C 1800 1400 AP-1800-1

AP-1800



H C

160ZR-1



H C

180ZR-1



H C

160-1



H C

180-1



H C

150-1



H C

185-1

修枝锯



G-17
H C X [tree icon] [lightning bolt icon] [house icon] 379 175 [blade icon] G-17-1 



GR-17
H C X [tree icon] [lightning bolt icon] [house icon] 377 175 [blade icon] GR-17-1 



G-18L
H C [tree icon] [lightning bolt icon] [house icon] 410 160 [blade icon] 18L-1



GR-18L
H C X [tree icon] [lightning bolt icon] [house icon] 410 165 [blade icon] 18R-1



G-18HL
H C [tree icon] [lightning bolt icon] [house icon] 410 160 [blade icon] 18HL-1 **New!**



210DX
H C [tree icon] [lightning bolt icon] [house icon] 350 140 [blade icon] 211 



PM-24L
H C [tree icon] [lightning bolt icon] [house icon] 500 215 [blade icon] PM-24L-1



TL-24 N C X [tree icon] [lightning bolt icon] [house icon] 406 190 [blade icon] TL-24-1
TL-27 N C X [tree icon] [lightning bolt icon] [house icon] 437 200 [blade icon] TL-27-1
TL-30 N C X [tree icon] [lightning bolt icon] [house icon] 465 210 [blade icon] TL-30-1 



CAM-18LN N C [tree icon] [lightning bolt icon] [house icon] 336 170 [blade icon] 18LN-1
CAM-24LN N C [tree icon] [lightning bolt icon] [house icon] 432 240 [blade icon] 24LN-1



CAM-18PRO H C X [tree icon] [lightning bolt icon] [house icon] 360 250 [blade icon] 18PRO-1
CAM-24PRO H C X [tree icon] [lightning bolt icon] [house icon] 414 280 [blade icon] 24PRO-1 



UV-32EN
H C [tree icon] [lightning bolt icon] [house icon] 500 420 [blade icon] UV-32E-1  **New!**



UV-32EN-W
H C [tree icon] [lightning bolt icon] [house icon] 500 420 [blade icon] UV-32E-1  **New!**



UV-32PRO
H C X [tree icon] [lightning bolt icon] [house icon] 480 430 [blade icon] UV-32PRO-1  **New!**



CT-32PRO
H C X [tree icon] [lightning bolt icon] [house icon] 480 430 [blade icon] CT-32PRO-1  **New!**



UV-37PRO
H C X [tree icon] [lightning bolt icon] [house icon] 600 580 [blade icon] UV-37PRO-1  **New!**



CT-37PRO
H C X [tree icon] [lightning bolt icon] [house icon] 600 580 [blade icon] CT-37PRO-1  **New!**



UV-42PRO
H C X [tree icon] [lightning bolt icon] [house icon] 600 600 [blade icon] UV-42PRO-1  **New!**



CT-42PRO
H C X [tree icon] [lightning bolt icon] [house icon] 600 600 [blade icon] CT-42PRO-1  **New!**



FS-22
H C [tree icon] [lightning bolt icon] [house icon] 343 170 [blade icon] FS-22-1



KL-30A
H C [tree icon] [lightning bolt icon] [house icon] 463 250 [blade icon] KL-30A-1 

高枝锯



UV-40
H C 630 520 UV-40-1



UV-47
N C 670 500 UV-47-1



EXP-4.5 1838 ~ 4560 1720



EXP-5.5 2175 ~ 5605 2100



绿篱剪



N C 500 550 K-800

粗枝剪



LPB-20S
LPB-20M
LPB-20L
B C 476 825
B C 624 940
B C 772 1055

New!



N C 650 640 K-900



LPB-30S
LPB-30M
LPB-30L
B C 482 860
B C 630 975
B C 778 1090

New!



N C 720-1050 980 K-900Z

工艺剪



New! H C 160 50 330HN



H C 195 80 380



H C 158 60 350-T



H C 158 60 350-M



H C 125 30 360-M



H C 190 100 500

服装剪

电气剪



H C 185 135 130DX-D



H C 192 130 140DX-D


便携式电动修枝剪



New! H C 270 830 ARSEP-700-1




锂电池：4.4AH
连续工作时间：13-16h



EP-700

果蔬采摘剪



花卉园艺工具



剪套



扁锉





值得信赖的切割技术



绿友集团销售服务热线: **400-610-2999**

地址: 北京顺义赵全营空港 C 区绿友园 邮编: 101301
<http://www.greenman.com.cn>



92.ARSML-2016

* 型号、技术参数及外型因产品设计更新而变更, 恕不另行通知。